



Revision Date: 31-Jan-2025

# Safety Data Sheet

## Spartan Chemical Company, Inc.

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

**Product Name:** XCELENTE  
**Product Code:** 0019  
**Recommended Use:** Cleaning agent  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
www.spartanchemical.com

**24 Hour Emergency Phone**

**Numbers:**  
**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

**GHS Classification**

Serious eye damage/eye irritation: Category 2A

**Label elements**

**Signal word:**

**Symbols:**

**Warning**



**Hazard statements:** Causes serious eye irritation

**Precautionary Statements - Prevention:** Wash face, hands and any exposed skin thoroughly after handling  
Wear eye/face protection

**Precautionary Statements - Response:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**-Specific Treatment:** See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

**Precautionary Statements - Storage:** Not applicable.

**Precautionary Statements - Disposal:** Not applicable

**Hazards not otherwise classified (HNOC):** Not applicable

**Other hazards:** • May be harmful if swallowed

- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Water	7732-18-5	80-100
C9-11 Alcohols Ethoxylated	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	1-5
Sodium Caprylyl Sulfonate	5324-84-5	0.1-1
Tetrasodium EDTA	64-02-8	0.1-1
Terpineol Acetate	8007-35-0	<0.1
Fragrance	PROPRIETARY	<0.1
Citric Acid	77-92-9	<0.1
Ethylene Brassylate	105-95-3	<0.1
Diphenyl Ether	101-84-8	<0.1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	<0.1
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	<0.1
Isobornyl Acetate	125-12-2	<0.1
Eucalyptol	470-82-6	<0.1
Benzyl Acetate	140-11-4	<0.1
Anisaldehyde	123-11-5	<0.1
3a,4,5,6,7,7a-Hexahydro-4,7-Methano-1H-Indenyl Acetate	54830-99-8	<0.1
Amyl Salicylate	2050-08-0	<0.1
2-T-Butylcyclohexyl Acetate	88-41-5	<0.1
Butylphenyl Methylpropional	80-54-6	<0.1
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Colorant	PROPRIETARY	<0.1
Methylisothiazolinone	2682-20-4	<0.1
Acid Blue 9	3844-45-9	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

<b>Eye contact:</b>	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
<b>Skin contact:</b>	Wash with soap and water. If skin irritation occurs: Get medical attention.
<b>Inhalation:</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or physician if you feel unwell.
<b>Ingestion:</b>	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
<b>Note to physicians:</b>	Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media:</b>	Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire.
<b>Specific Hazards Arising from the Chemical:</b>	Dried product is capable of burning. Combustion products are toxic.
<b>Hazardous Combustion Products:</b>	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
<b>Protective Equipment and Precautions for Firefighters:</b>	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions:</b>	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
<b>Environmental Precautions:</b>	Do not rinse spill onto the ground, into storm sewers or bodies of water.
<b>Methods for cleaning up:</b>	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

## 7. HANDLING AND STORAGE

<b>Advice on safe handling:</b>	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
<b>Storage Conditions:</b>	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep from freezing.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits:

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Diphenyl Ether 101-84-8	TWA: 1 ppm vapor STEL: 2 ppm vapor fraction	TWA: 1 ppm vapor TWA: 7 mg/m <sup>3</sup> vapor (vacated) TWA: 1 ppm vapor (vacated) TWA: 7 mg/m <sup>3</sup> vapor	IDLH: 100 ppm vapor TWA: 1 ppm vapor TWA: 7 mg/m <sup>3</sup> vapor
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-

<b>Engineering Controls:</b>	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
------------------------------	---

### Individual protection measures, such as personal protective equipment

<b>Eye/face protection:</b>	Wear splash goggles.
<b>Skin and body protection:</b>	Not required with expected use.
<b>Respiratory protection:</b>	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
<b>General hygiene considerations:</b>	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state:</b>	Liquid
<b>Color:</b>	Purple
<b>Odor:</b>	Pleasant fragrance added
<b>Odor Threshold:</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH:</b>	Undiluted: 7.0-8.0 / Diluted 1:43: 7.5-9.0	
<b>Melting Point / Freezing Point:</b>	No data available	
<b>Boiling Point / Boiling Range:</b>	90 °C / 194 °F	

<b>Flash Point:</b>	none °C / °F	Pensky-Martens Closed Cup (PMCC)
<b>Evaporation Rate:</b>	< 1	(Butyl acetate = 1)
<b>Flammability (solid, gas):</b>	No data available	No information available
<b>Flammability Limits in Air:</b>		No information available
<b>Upper Flammability Limit:</b>	No data available	
<b>Lower Flammability Limit:</b>	No data available	
<b>Vapor Pressure:</b>	No data available	No information available
<b>Vapor Density:</b>	No data available	No information available
<b>Relative Density:</b>	0.998	
<b>Solubility(ies):</b>	Soluble in water	
<b>Partition Coefficient:</b>	No data available	No information available
<b>Autoignition Temperature:</b>	Not applicable	
<b>Decomposition Temperature:</b>	Not applicable	
<b>Kinematic Viscosity:</b>	No information available	No information available
<b>Particle characteristics:</b>	Not applicable	

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	This material is considered to be non-reactive under normal conditions of use.
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Not expected to occur with normal handling and storage.
<b>Conditions to Avoid:</b>	Extremes of temperature and direct sunlight
<b>Incompatible materials:</b>	Strong oxidizing agents. Strong acids.
<b>Hazardous decomposition products:</b>	May include carbon monoxide, carbon dioxide (CO <sub>2</sub> ) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

<b>Likely Routes of Exposure:</b>	Eyes, Skin, Ingestion, Inhalation.
<b>Symptoms of Exposure:</b>	
<b>Eye contact:</b>	Pain, redness, swelling of the conjunctiva and blurred vision.
<b>Skin contact:</b>	Drying of the skin.
<b>Inhalation:</b>	Nasal discomfort and coughing.
<b>Ingestion:</b>	Pain, nausea, vomiting and diarrhea.

### Immediate, Delayed, Chronic Effects

Product Information:	Data not available or insufficient for classification.
Target organ effects:	Eyes. Respiratory system. Skin.

### Acute toxicity

#### **Numerical measures of toxicity:**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	35,394.60 mg/kg
ATEmix (dermal)	261,992.20 mg/kg
ATEmix (inhalation-vapor)	1,942.80 mg/l

#### **Component Information:**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
C9-11 Alcohols Ethoxylated 68439-46-3	= 1400 mg/kg ( Rat )	-	-
Isopropyl Alcohol 67-63-0	4710 - 5840 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	> 10000 ppm ( Rat ) 6 h
Tetrasodium EDTA 64-02-8	= 1658 mg/kg ( Rat )	-	-
Citric Acid 77-92-9	= 3 g/kg ( Rat )	> 2000 mg/kg ( Rat )	-
Ethylene Brassylate 105-95-3	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Diphenyl Ether	= 2450 mg/kg ( Rat )	> 7940 mg/kg ( Rabbit )	-

101-84-8			
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-
Isobornyl Acetate 125-12-2	= 9050 mg/kg ( Rat )	> 20000 mg/kg ( Rabbit )	-
Eucalyptol 470-82-6	= 2480 mg/kg ( Rat )	-	-
Benzyl Acetate 140-11-4	= 2490 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Anisaldehyde 123-11-5	= 3210 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 0.32 mg/L ( Rat ) 7 h
Amyl Salicylate 2050-08-0	= 4100 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
2-T-Butylcyclohexyl Acetate 88-41-5	= 4600 mg/kg ( Rat )	-	-
Butylphenyl Methylpropional 80-54-6	= 1390 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 0.18 mg/L ( Rat ) 7 h
Methylchloroisoithiazolinone 26172-55-4	= 481 mg/kg ( Rat )	-	= 1.23 mg/L ( Rat ) 4 h
Methylisothiazolinone 2682-20-4	232 - 249 mg/kg ( Rat ) = 120 mg/kg ( Rat )	= 200 mg/kg ( Rabbit )	= 0.11 mg/L ( Rat ) 4 h
Acid Blue 9 3844-45-9	> 10000 mg/kg ( Rat )	-	-

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

Chemical name	ACGIH	IARC	NTP	OSHA
Benzyl Acetate 140-11-4	-	Group 3	-	-
Acid Blue 9 3844-45-9	-	Group 3	-	-

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i> ) EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i> )	LC50: =9640mg/L (96h, <i>Pimephales promelas</i> ) LC50: =11130mg/L (96h, <i>Pimephales promelas</i> ) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i> )	-	EC50: =13299mg/L (48h, <i>Daphnia magna</i> )
Tetrasodium EDTA 64-02-8	-	LC50: =41mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: =59.8mg/L (96h, <i>Pimephales promelas</i> )	-	-
Citric Acid 77-92-9	-	LC50: =1516mg/L (96h, <i>Lepomis macrochirus</i> )	-	-
Diphenyl Ether 101-84-8	-	LC50: =4mg/L (96h, <i>Pimephales promelas</i> ) LC50: 4 - 7.9mg/L (96h, <i>Pimephales promelas</i> )	-	LC50: 0.11 - 1.1mg/L (48h, <i>Daphnia magna</i> )
4-Tert-Butylcyclohexyl Acetate 32210-23-4	-	LC50: =8.6mg/L (96h, <i>Cyprinus carpio</i> )	-	-

Isobornyl Acetate 125-12-2	-	LC50: 10.0 - 18.0mg/L (96h, Brachydanio rerio)	-	-
Eucalyptol 470-82-6	-	LC50: 95.4 - 109mg/L (96h, Pimephales promelas)	-	-
Butylphenyl Methylpropional 80-54-6	-	LC50: 2.2 - 4.6mg/L (96h, Brachydanio rerio)	-	EC50: =10.7mg/L (48h, Daphnia magna)
Methylchloroisothiazolinone 26172-55-4	EC50: 0.11 - 0.16mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.03 - 0.13mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =1.6mg/L (96h, Oncorhynchus mykiss)	-	EC50: =4.71mg/L (48h, Daphnia magna) EC50: 0.12 - 0.3mg/L (48h, Daphnia magna) EC50: 0.71 - 0.99mg/L (48h, Daphnia magna)

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Mobility in Soil:** No information available

**Other adverse effects:** No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste from residues/unused products:** Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging:** Dispose of in accordance with federal, state and local regulations.

### 14. TRANSPORT INFORMATION

**DOT:** Not Regulated

**Proper Shipping Name:** Non-Hazardous Product

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**IMDG:** Not Regulated

**Proper Shipping Name:** Non-Hazardous Product

### 15. REGULATORY INFORMATION

**TSCA** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313**

This product does not contain listed substances above the "de minimus" level

**SARA 311/312 Hazard Categories**

**Acute health hazard:** Yes

**Chronic Health Hazard:** No

**Fire hazard:** No

**Sudden release of pressure hazard:** No

**Reactive Hazard:** No

**California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

### 16. OTHER INFORMATION

<b><u>NFPA</u></b>	<b>Health hazards: 2</b>	<b>Flammability: 0</b>	<b>Instability: 0</b>	<b>Special hazards: -</b>
<b><u>HMIS</u></b>	<b>Health hazards: 2</b>	<b>Flammability: 0</b>	<b>Physical hazards: 0</b>	

**Revision Date:** 31-Jan-2025  
**Revision Note:** Section, 9

**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**