

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 06-Feb-2025

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name: CLOTHESLINE FRESH FABRIC SOFTENER [6]

Product Code:

Recommended Use: Laundry fabric-softener

For Industrial and Institutional Use Only **Uses Advised Against:**

Spartan Chemical Company, Inc. Manufacturer/Supplier:

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone

Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation: Category 2A

Label elements

Signal word: Warning

Symbols:

Hazard statements: Causes serious eve irritation

Precautionary Statements -Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

Prevention:

Precautionary Statements -

Hazards not otherwise classified

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eyes:

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Precautionary Statements - Storage: Not applicable. Not applicable **Precautionary Statements -**

Disposal:

Not applicable

(HNOC):

· May be harmful if swallowed Other hazards:

- · May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.

Revision Date: 06-Feb-2025

Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Water	7732-18-5	80-100
Quaternium-27	68122-86-1	5-10
Isopropyl Alcohol	67-63-0	1-5
PEG-15 Cocomonium Chloride	61791-10-4	1-5
Fragrance	PROPRIETARY	0.1-1
Benzyl Acetate	140-11-4	<0.1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	<0.1
Alpha-Isomethyl Ionone	127-51-5	<0.1
Hexyl Cinnamal	101-86-0	<0.1
Hexahydro-Methanoindenyl Propionate	68912-13-0	<0.1
Beta Cedrene	546-28-1	<0.1
alpha-cedrene	469-61-4	<0.1
3a,4,5,6,7,7a-Hexahydro-4,7-Methano-1H-Indenyl	54830-99-8	<0.1
Acetate		
Amyl Salicylate	2050-08-0	<0.1
Hexamethylindanopyran	1222-05-5	<0.1
Butylphenyl Methylpropional	80-54-6	<0.1
Linalool	78-70-6	<0.1
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	<0.1
Beta-Caryophyllene	87-44-5	<0.1
Anisaldehyde	123-11-5	<0.1
Terpineol	98-55-5	<0.1
Sodium Hydroxide	1310-73-2	<0.1
Limonene	5989-27-5	<0.1
Geraniol	106-24-1	<0.1
Vanillin	121-33-5	<0.1
Phenylacetaldehyde	122-78-1	<0.1
Nerol	106-25-2	<0.1
Methylundecanal	110-41-8	<0.1
Linalyl Acetate	115-95-7	<0.1
Isoeugenol	97-54-1	<0.1
Anethole	104-46-1	<0.1
Benzyl Benzoate	120-51-4	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Methylisothiazolinone	2682-20-4	<0.1
Sodium Chloride	7647-14-5	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Eye contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention.

Skin contact: Wash with soap and water. If skin irritation occurs: Get medical attention. **Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

Note to physicians: Treat symptomatically.

Ingestion:

_ _

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion. Use extinguishing agent suitable for type of

surrounding fire.

Specific Hazards Arising from the

Chemical:

e Dried product is capable of burning. Combustion products are toxic.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

Precautions for Firefighters: protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Environmental Precautions: Methods for cleaning up: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Revision Date: 06-Feb-2025

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol	TWA: 200 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	STEL: 400 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Individual protection measures, such as personal protective equipment

Eve/face protection: Wear splash goggles.

Skin and body protection:Not required with expected use.
Respiratory protection:
Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General hygiene considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Page 3/8

Physical state: Liquid Color: White Odor: Pleasant

Odor Threshold: No information available

Property Values Remarks • Method

5.5-6.5 :Ha

Melting Point / Freezing Point: No data available **Boiling Point / Boiling Range:** 82 °C / 180 °F

None °C / °F Flash Point:

Pensky-Martens Closed Cup (PMCC) **Evaporation Rate:** < 1

Flammability (solid, gas): No data available

Flammability Limits in Air:

Upper Flammability Limit: No data available **Lower Flammability Limit:** No data available

Vapor Pressure: No data available Vapor Density: No data available

Relative Density: 0.990

Solubility(ies): Soluble in water

Partition Coefficient: No data available

Autoignition Temperature: Not applicable **Decomposition Temperature:** Not applicable

No information available **Kinematic Viscosity:**

Particle characteristics: Not applicable (BuAc = 1)

Revision Date: 06-Feb-2025

No information available No information available

No information available No information available

No information available

No information available

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Stable under normal conditions. Chemical stability:

Possibility of hazardous reactions: Not expected to occur with normal handling and storage.

Extremes of temperature and direct sunlight **Conditions to Avoid:** Incompatible materials: Strong oxidizing agents. Strong acids.

Hazardous decomposition products: May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

Eye contact: Pain, redness, swelling of the conjunctiva and blurred vision.

Skin contact: Drying of the skin.

Inhalation: Nasal discomfort and coughing. Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target organ effects: Eyes. Respiratory system. Skin.

Acute toxicity

Numerical measures of toxicity:

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 34,137.50 mg/kg ATEmix (dermal) 180,217.50 mg/kg ATEmix (inhalation-vapor) 1,336.40 mg/l ATEmix (inhalation-dust/mist) 19.30 mg/l

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Quaternium-27	= 21600 mg/kg (Rat)	-	-

Page 4/8

69122.96.1			
68122-86-1 Isopropyl Alcohol 67-63-0	4710 - 5840 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
PEG-15 Cocomonium Chloride 61791-10-4	= 580 mg/kg (Rat)	-	-
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Alpha-Isomethyl Ionone 127-51-5	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hexyl Cinnamal 101-86-0	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat) 4 h
Hexahydro-Methanoindenyl Propionate 68912-13-0	-	> 5000 mg/kg (Rabbit)	-
Amyl Salicylate 2050-08-0	= 4100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hexamethylindanopyran 1222-05-5	> 3250 mg/kg (Rat)	> 3250 mg/kg (Rabbit)	> 5.04 mg/L (Rat) 4 h
Butylphenyl Methylpropional 80-54-6	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 0.18 mg/L (Rat)7 h
Linalool 78-70-6	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Anisaldehyde 123-11-5	= 3210 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 0.32 mg/L (Rat)7 h
Terpineol 98-55-5	= 5170 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Sodium Hydroxide 1310-73-2	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Limonene 5989-27-5	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Geraniol	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	_
106-24-1 Vanillin	= 3978 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	-
121-33-5			-
Nerol 106-25-2	= 4500 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Methylundecanal 110-41-8	> 5 g/kg (Rat)	> 10 mL/kg (Rabbit)	-
Linalyl Acetate 115-95-7	= 14550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 18.94 mg/L (Rat)8 h
Isoeugenol 97-54-1	= 1560 mg/kg (Rat)	-	-
Anethole 104-46-1	= 2090 mg/kg (Rat)	-	-
Benzyl Benzoate 120-51-4	> 2000 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	-
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg (Rat)	-	= 1.23 mg/L (Rat) 4 h
Methylisothiazolinone 2682-20-4	232 - 249 mg/kg (Rat)	= 200 mg/kg (Rabbit)	= 0.11 mg/L (Rat) 4 h
	= 120 mg/kg (Rat)		
Sodium Chloride 7647-14-5	= 3550 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 42 mg/L (Rat)1 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)
4-Tert-Butylcyclohexyl Acetate 32210-23-4	-	LC50: =8.6mg/L (96h, Cyprinus carpio)	-	-
Hexahydro-Methanoindenyl Propionate 68912-13-0	-	LC50: =6.7mg/L (96h, Pimephales promelas)	-	-
Butylphenyl Methylpropional 80-54-6	-	LC50: 2.2 - 4.6mg/L (96h, Brachydanio rerio)	-	EC50: =10.7mg/L (48h, Daphnia magna)
Linalool 78-70-6	EC50: =88.3mg/L (96h, Desmodesmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss)	-	EC50: =20mg/L (48h, Daphnia magna)
Sodium Hydroxide 1310-73-2	-	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	-	-
Limonene 5989-27-5	-	LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss)	-	-
Geraniol 106-24-1	-	LC50: =22mg/L (96h, Danio rerio)	-	-
Vanillin 121-33-5	-	LC50: 53 - 61.3mg/L (96h, Pimephales promelas) LC50: =88mg/L (96h, Pimephales promelas) LC50: =57mg/L (96h, Pimephales promelas)	-	-
Nerol 106-25-2	-	LC50: =20.3mg/L (96h, Danio rerio)	-	-
Methylundecanal 110-41-8	-	LC50: =0.35mg/L (96h, Oncorhynchus mykiss)	-	-
Linalyl Acetate 115-95-7	-	LC50: =11mg/L (96h, Cyprinus carpio)	-	-
Benzyl Benzoate 120-51-4	-	LC50: =2.32mg/L (96h, Danio rerio)	-	-
Methylchloroisothiazolinone 26172-55-4	EC50: 0.11 - 0.16mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.03 - 0.13mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =1.6mg/L (96h, Oncorhynchus mykiss)	-	EC50: =4.71mg/L (48h, Daphnia magna) EC50: 0.12 - 0.3mg/L (48h, Daphnia magna) EC50: 0.71 - 0.99mg/L (48h, Daphnia magna)
Sodium Chloride 7647-14-5	-	LC50: 5560 - 6080mg/L (96h, Lepomis macrochirus) LC50: =12946mg/L (96h, Lepomis macrochirus) LC50: 6020 - 7070mg/L	-	EC50: =1000mg/L (48h, Daphnia magna) EC50: 340.7 - 469.2mg/L (48h, Daphnia magna)

(96h, Pimephales
promelas)
LC50: =7050mg/L (96h,
Pimephales promelas)
LC50: 6420 - 6700mg/L
(96h, Pimephales
promelas)
LC50: 4747 - 7824mg/L
(96h, Oncorhynchus
mykiss)

Persistence and Degradability: No information available. **Bioaccumulation:** No information available.

Mobility in Soil:No information availableOther adverse effects:No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused Dispose of in accordance with federal, state and local regulations.

products:

Contaminated packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated

Proper Shipping Name: Non-Hazardous Products

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 06-Feb-2025

expert for information specific to your situation.

IMDG: Not Regulated

Proper Shipping Name: Non-Hazardous Products

15. REGULATORY INFORMATION

TSCA (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute health hazard:
Chronic Health Hazard:
No
Fire hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health hazards: 1 Flammability: 0 Instability: 0 Special hazards: -

HMIS Health hazards: 1 Flammability: 0 Physical hazards: 0

Revision Date: 06-Feb-2025

Page 7 / 8

Revision Note: Section, 3, 7, 9, 11, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date: 06-Feb-2025

End of Safety Data Sheet

Page 8/8